

# Data Visualization with ggplot2

Evan L. Ray

# Warm Up (with a neighbor)


Here are the first few rows of a data set with information about participants in a randomized controlled trial designed to evaluate a substance abuse treatment program. What are the observational units and variables? Are the variables categorical or quantitative?

```
head(HELPrc)
```


```
##   age homeless substance dep_score mental_score
## 1  37     housed    cocaine      49  25.111990
## 2  37  homeless   alcohol      30  26.670307
## 3  26     housed    heroin      39   6.762923
## 4  39     housed    heroin      15  43.967880
## 5  32  homeless    cocaine      39  21.675755
## 6  47     housed    cocaine       6  55.508991
```

# 5 Main Plots (for this class)


1. Bar: Categorical




2. Histogram: Quantitative




3. Density: Quantitative



4. Boxplot: 1 Quantitative, 1 Categorical



5. Scatterplot: 2 Quantitative




Also: color

# The Grammar of Graphics

A statistical graphic is a `mapping` of data variables to `aes()`thetic attributes of `geom_`etric objects


```
ggplot(data = <data_frame>,
       mapping = aes(<attribute1> = <variable1>, <attribute2> = <variable2>),
       ) +
       geom_<geometry type>()
```

```
ggplot(data = HELPrct,
       mapping = aes(x = dep_score, y = mental_score),
       ) +
       geom_point()
```




# What are the `geom_`etric objects?


1. `geom_bar`




2. `geom_histogram`




3. `geom_density`



4. `geom_boxplot`




5. `geom_point`



# What are the aesthetic properties?


1. `x` for horizontal axis (applicable for all geometry types)
2. `y` for vertical axis (applicable for plot types that have a variable on the vertical axis: boxplot and scatter plot)
3. `fill` (for fill color in geometric objects that have an internal area) or `color` (for color of objects that don't have an internal area)

```
ggplot(data = HELPrct,  
       mapping = aes(x = dep_score, y = mental_score, color = substance),  
       ) +  
       geom_point()
```




# 1 Categorical Variable: Bar Plot

```
ggplot(data = HELPrct,  
       mapping = aes(x = homeless))  
  +  
  geom_bar()
```




# 2 Categorical Variables: Bar Plot

```
ggplot(data = HELPrct,  
       mapping = aes(x = homeless, fill = substance))  
  ) +  
  geom_bar()
```



# 2 Categorical Variables: Bar Plot


```
ggplot(data = HELPrct,  
       mapping = aes(x = homeless, fill = substance))  
  +  
  geom_bar(position = position_dodge())
```



# 1 Quantitative Variable: Histograms


```
ggplot(data = HELPrct,  
       mapping = aes(x = dep_score),  
       ) +  
       geom_histogram()
```

## `stat\_bin()` using `bins = 30`. Pick better value with `binwidth`.




# 1 Quantitative Variable: Histograms

```
ggplot(data = HELPrct,  
       mapping = aes(x = dep_score),  
       ) +  
       geom_histogram(binwidth = 4)
```




# 1 Quantitative Variable: Density Plots

```
ggplot(data = HELPrct,  
       mapping = aes(x = dep_score),  
       ) +  
       geom_density()
```




# 2 Quantitative Variables: Scatter Plots

```
ggplot(data = HELPrct,  
       mapping = aes(x = dep_score, y = mental_score))  
  +  
  geom_point()
```




# 2 Quantitative Variables: Scatter Plots

```
ggplot(data = HELPrct,  
       mapping = aes(x = dep_score, y = mental_score, color = substance))  
  +  
  geom_point()
```




# 1 Quantitative, 1 Categorical: Box Plots

```
ggplot(data = HELPrct,  
       mapping = aes(x = substance, y = dep_score))  
  +  
  geom_boxplot()
```



# 1 Quantitative, 1 Categorical: Density

```
ggplot(data = HELPrct,  
       mapping = aes(x = dep_score, color = substance))  
  +  
  geom_density()
```




# Summary

Variables	Plot Type	Geometry	Aesthetics
1 Categorical	Bar Plot	geom_bar	x
1 Quantitative	Histogram	geom_histogram	x
1 Quantitative	Density	geom_density	x
2 Categorical	Bar Plot	geom_bar	x, fill
2 Quantitative	Scatter Plot	geom_point	x, y
1 Categorical and 1 Quantitative	Box Plot	geom_boxplot	x (categorical), y (quantitative)
1 Categorical and 1 Quantitative	Density Plot	geom_density	x (quantitative), color (categorical)

# Common Error 1

No + after call to `ggplot()`:

```
ggplot(data = HELPrct,  
       mapping = aes(x = dep_score, y = mental_score))  
      )
```



```
geom_point()
```

```
## geom_point: na.rm = FALSE  
## stat_identity: na.rm = FALSE  
## position_identity
```

# Common Error 2

%>% instead of + after call to `ggplot()`:

```
ggplot(data = HELPrct,  
       mapping = aes(x = dep_score, y = mental_score)  
) %>%  
  geom_point()
```

Error: Mapping must be created by `aes()` or `aes_()`

# Common Error 3

Forgot data =:

```
ggplot(mapping = aes(x = dep_score, y = mental_score)) +  
  geom_point()
```

Error in FUN(X[[i]], ...) : object 'dep\_score' not found