

# Probability Practice Examples

## Example 1

I toss a fair coin three times and record whether each toss resulted in heads or tails. For your reference, here is an enumeration of the sample space for this experiment, where  $htt$  represents the outcome that a heads came up on the first toss, and tails on the second and third tosses:

$\{hhh, hht, hth, htt, thh, tht, tth, ttt\}$

Define the following random variables:

$X$  = the number of heads on the first toss

$Y$  = the total number of heads across all three tosses

(a) By counting outcomes in the sample space, fill in the table below to specify the marginal distribution of  $Y$ . (A number inside the table should be a value of  $f_Y(y)$ .)

	$y = 0$	$y = 1$	$y = 2$	$y = 3$
$f_Y(y)$				

(b) By counting outcomes in the sample space, fill in the table below to specify the joint p.m.f. of  $(X, Y)$ . (A number inside the table should be a value of  $f_{X,Y}(x, y)$ .)

	$y = 0$	$y = 1$	$y = 2$	$y = 3$
$x = 0$				
$x = 1$				

(c) By counting outcomes in the sample space, fill in the table below to specify the conditional p.m.f. of  $X$  given that  $Y = 1$ . (A number inside the table should be a value of  $f_{X|Y}(x|Y = 1)$ .)

	$f_{X Y}(x Y = 1)$
$x = 0$	
$x = 1$	

(d) Verify that  $f_{X|Y}(0|Y = 1) = \frac{f_{X,Y}(0,1)}{f_Y(1)}$ , and similar for  $f_{X|Y}(1|Y = 1)$

**Example 2**

The marginal distribution of  $X$  and the conditional distribution of  $Y$  given  $X$  are as follows:

$$\begin{aligned}f_X(x) &= e^{-x} & 0 < x < \infty \\f_{Y|X=x}(y|X=x) &= e^{-(y-x)} & 0 < x < y < \infty\end{aligned}$$

(a) Find the joint distribution of  $X$  and  $Y$ ,  $f_{X,Y}(x,y)$ .

(b) Find the marginal distribution of  $Y$ ,  $f_Y(y)$ .

(c) Why doesn't  $f_{X,Y}(x,y) = f_X(x)f_Y(y)$ ? (Under what condition would  $f_{X,Y}(x,y) = f_X(x)f_Y(y)$ , and what does the fact that this equation doesn't hold mean about  $X$  and  $Y$ ?)

(d) Find the conditional distribution of  $X$  given that  $Y = y$ .

**Example 3**

The continuous random variables  $X$  and  $Y$  have a joint pdf with the following form:

$$f_{X,Y}(x, y) = c(x + y)^2, \quad 0 \leq x \leq 1, \quad 0 \leq y \leq 1$$

Find the value of  $c$ .

**Example 4**

Suppose that  $E(X) = \mu$  and  $Var(X) = \sigma^2$ , and define  $Z = \frac{X - \mu}{\sigma}$ .

Show that  $E(Z) = 0$  and  $Var(Z) = 1$ .